



W2 ARCHITECTURAL  
LIGHTING  
A DIVISION OF WAC

## PALOMA™ TRACK LUMINAIRES



# LED LUMINAIRES

- **Lamping:** Energy efficient LED
- **Color Temp:** 3000K and 4500K
- **Construction:** Die cast aluminum
- **Engine:** Integral LED driver
- **Potential Life:** 50,000 hr

- **Finish:** Durable abrasion resistant powder coat finish
- **Adjustment:** 365° horizontal and 180° vertical eliminates dead aiming
- **Warranty:** 5 years



Model shown  
WHK-LED520W-FL-BK

Model	Color Temp.	Beam angle	Wattage	Finishes	Dimensions ( L" x W" x H")
WTK-LED510* 120V	W 3000K C 4500K	SP 15° FL 40° NF 25°	10W	BK Black PT Platinum WT White	4" 3 ¼" 6 ¼"
WTK-LED520 120V WHK-LED520 277V			20W		7 ¼" 5" 12 ¾"
WTK-LED530 120V WHK-LED530 277V			30W		7 ¼" 5" 12 ¾"

SP spot FL flood NF narrow flood

Example WHK-LED530W-FL-BK

277V LED530 style with warm **3000K** color temperature, flood **FL** beam angle at 30 watt in **BK** black finish

# LOW VOLTAGE LUMINAIRES

- **Lamping:** Low voltage halogen
- **Construction:** Die cast aluminum
- **Engine:** Electronic transformer
- **Finish:** Durable abrasion resistant powder coat finish

- **Adjustment:** 365° horizontal and 180° vertical eliminates dead aiming
- **Warranty:** 5 years



Model shown  
WTK-516L-PT

Model	Beam angle	Lamp	Max Wattage	Finishes	Dimensions ( L" x W" x H")
WTK-516* 120V	based on lamp	MR16	50W	BK Black PT Platinum WT White	3 ¼" 2 ½" 5 ½"
WTK-516L 120V WHK-516L 277V			75W 75W		4" 3 ¼" 8 ½"
WTK-511L 120V WHK-511L 277V	based on lamp	AR111	75W		6" 5 ¼" 10 ¾"
WTK-511L 120V WHK-511L 277V	WW wall washer	AR111	75W		9 5/8" 5 ¼" 13 3/8"

Order lamp separately

Example WTK-516L-PT

120V 75W 516L style in **BK** black finish

# HID ENERGY EFFICIENT LUMINAIRES

- **Lamping:** Energy efficient HID
- **Construction:** Die cast aluminum
- **Engine:** Energy efficient high power factor electronic ballast
- **Finish:** Durable abrasion resistant powder coat finish
- **Adjustment:** 365° horizontal and 180° vertical eliminates dead aiming
- **Warranty:** 5 years



Model shown  
WHK-538-70E-WT

Model	Beam angle	Lamp	Wattage	Finishes	Dimensions ( L" x W" x H")
WTK-505 120V WHK-505 277V	SP 10° FL 40° SS 6° NF 25°	BT5 HID	20E 22W 39E 39W	BK Black PT Platinum WT White	7 ¼" 5" 12"
WTK-505 120V WHK-505 277V	WW wall washer				10 5/8" 5" 14 ½"
WTK-510 120V WHK-510 277V	based on lamp	MR16 HID	20E 20W 39E 39W		4" 3 ¼" 8 ½"
WTK-501 120V WHK-501 277V	based on lamp	R111 HID	39E 39W 70E 70W		6" 5 ¼" 10 ¾"
WTK-501 120V WHK-501 277V	WW wall washer				9 5/8" 5 ¼" 13 3/8"
WTK-520 120V WHK-520 277V	based on lamp	PAR 20 HID	20E 20W 39E 39W		5 ¾" 3 ¼" 9 5/8"
WTK-520 120V WHK-520 277V	WW wall washer				7 7/8" 3 ¼" 11 ¼"
WTK-530 120V WHK-530 277V	based on lamp	PAR 30L HID	39E 39W 70E 70W		7 ¼" 5" 12"
WTK-530 120V WHK-530 277V	WW wall washer				10 5/8" 5" 14 ½"
WTK-538 120V WHK-538 277V	based on lamp	PAR38 HID	70E 70W		8 5/8" 5 ¾" 13 5/8"
WTK-538 120V WHK-538 277V	WW wall wash				12 7/8" 5 ¾" 16 ¾"
WTK-502 120V WHK-502 277V	SP 15° FL 40° SS 6° NF 25°	T4 HID	20E 20W 39E 39W 70E 70W		7 ¼" 5" 12"
WTK-502 120V WHK-502 277V	WW wall washer				10 5/8" 5" 14 ½"
WTK-506 120V WHK-506 277V	SP 15° FL 40° SS 8° NF 25°	T6 HID	39E 39W 70E 70W 100E 100W 150E 150W		8 5/8" 5 ¾" 13 3/8"
WTK-506 120V WHK-506 277V	WW wall washer				12 7/8" 5 ¾" 16 ½"

SP spot SS super spot FL flood NF narrow flood  
Order lamp separately

Example WTK-502-SS-39E-WT

120V 502 style with super spot **SS** beam angle, 39 watt in **WT** white finish

# LINE VOLTAGE LUMINAIRES

- **Lamping:** Line voltage halogen
- **Construction:** Die cast aluminum
- **Finish:** Durable abrasion resistant powder coat finish
- **Adjustment:** 365° horizontal and 180° vertical eliminates dead aiming
- **Warranty:** 5 years



Model shown  
**WTK-538-PT**

Model	Beam angle	Lamp	Max Wattage	Finishes	Dimensions ( L" x W" x H")
WTK-521	120V based on lamp	PAR20	50W	BK Black PT Platinum WT White	5 3/4" 3 1/4" 7 7/8"
WTK-521	120V WW wall washer				7 7/8" 3 1/4" 9 1/2"
WTK-531	120V based on lamp	PAR30S	75W		7 1/4" 5" 10 1/4"
WTK-531	120V WW wall washer				10 5/8" 5" 12 5/8"
WTK-538	120V based on lamp	PAR38	100W		8 5/8" 5 3/4" 11 5/8"
WTK-538	120V WW wall washer				12 7/8" 5 3/4" 14 3/4"

Order lamp separately

Example **WTK-531-WW-BK**  
120V 531 style with wall washer in **PT** platinum finish

## Corporate Headquarters Eastern Distribution Center

615 South Street  
Garden City, NY 11530

## Western Distribution Center

168 Brea Canyon Road  
City of Industry, CA 91789

Tel: 866-788-2100

Fax: 516-393-3084

www.w2lighting.com

Copyright 2010



W2 ARCHITECTURAL  
LIGHTING

A DIVISION OF WAC